


## SERIES FILIFORMES

### Trimless aluminum profile for corner mounting

This trimless series is designed to be installed very discreetly in an interior corner and projects its light at an angle of 45 degrees. This series becomes very discreet once installed in the corner and will give a unique style and lighting to your environment. It offers several options of powers, lenses and assembly allowing you to adapt it to your needs. Promoting better heat dissipation, this series will offer you its full potential for many years to come.



Description	mm	Inch
B - Width interior	9.50	0.3740
C - Width exterior	12.10	0.4764
D - Height	13.30	0.5236
X - Measure	9.30	0.3661
Z - Measure	26.40	1.0394



#### FEATURES

- Discreet
- Corner mounting
- Trimless
- 45 degrees projection angle
- Can be cut according to your needs
- Allows continuous joint mounting
- Direct lighting
- Wide choice of lens
- Wide choice of colors and finishes
- Clear Anodized Aluminum 6063T5


#### APPLICATION

- Inside corner edge
- Regular (all purpose)

#### MOUNTING










#### PROJECTION



## POWER

Type	Lumen Meter	Feet	Watt Meter	Feet
Unique white	420	128	4.8	1.5
Unique white	500	152	4.8	1.5
Unique white	840	256	9.6	2.9
Unique white	1000	305	9.6	2.9
Unique white	1400	427	14.0	4.3
RGB			8.5	2.6

## COLOR TEMPERATURE

Kelvin	Type
 2200K	 RGB
 2700K	
 3000K	
 4000K	
 6000K	
 6500K	

## GRADATION

Type
Not dimmable
Dimmable Triac
Dimmable 0-10 Volt

## DIFFUSER

Type	Light diffuse	Angle
Opalin	78 %	120 °

## SHAPE



## LUMINAIRE COLOR





# Sale sheet

31-08-2021 01:37:51

## DISCLAIMER

Due to our continued efforts to improve our documents and products, the specifications found on this document are subject to change without notice.