



SERIES MURMURATI

Trimless aluminum profile for surface or recessed mounting

This narrow trimless U-shaped profile series is designed to be either surface or recessed mounted depending on your needs. Discreet, it will perfectly integrate to your decor. It offers several power, lenses and assembly options allowing you to let your creativity run free. Promoting better heat dissipation despite being embedded, this series will offer you uncompromising lighting for many years to come.



Description	mm	Inch
B - Width interior	5.40	0.2126
C - Width exterior	7.90	0.3110
D - Height	9.90	0.3898



FEATURES


- Surface or recessed
- Trimless
- Can be cut to your needs
- Allows continuous joint mounting
- Direct or indirect lighting
- Wide choice of lens
- Wide choice of colors and finishes
- Clear Anodized Aluminum 6063T5

APPLICATION

Regular (all purpose)

MOUNTING

Surface mount



Recessed



PROJECTION

Direct







Indirect



POWER

Type	Lumen Meter	Feet	Watt Meter	Feet
Unique white	500	152	4.8	1.5
Unique white	1000	305	9.6	2.9

COLOR TEMPERATURE

Kelvin	Type
 2700K	
 3000K	
 4000K	
 6000K	


GRADATION

Type
Not dimmable
Dimmable Triac
Dimmable 0-10 Volt

DIFFUSER

Type	Light diffuse	Angle
Frost	78 %	120 °

SHAPE



LUMINAIRE COLOR





Sale sheet

31-08-2021 10:10:06

DISCLAIMER

Due to our continued efforts to improve our documents and products, the specifications found on this document are subject to change without notice.