


SERIES TENERA

Surface mount aluminum profile for indirect lighting (wall wash)

Once installed on your walls, this elegant looking series will allow you to put the accent wherever you want it and with a lot of style and increased visual comfort since it offers wall wash lighting. Like most LED123 products, it comes with many colors, finishes, wattage, lenses and assembly options. Favoring better heat dissipation despite being embedded, this series will stand out for its uncompromising performance.



Description	mm	Inch
B - Width interior	12.30	0.4843
C - Width exterior	43.50	1.7126
D - Height	17.70	0.6969




FEATURES

- Indirect lighting
- Wall wash
- Can be cut according to your needs
- Allows continuous joint mounting
- Wide choice of lens
- Wide choice of colors and finishes
- Clear Anodized Aluminum 6063T5

MOUNTING

Surface mount



PROJECTION

Indirect




APPLICATION

- Wall-washer
- Regular (all purpose)

POWER

Type	Lumen Meter	Feet	Watt Meter	Feet
Unique white	420	128	4.8	1.5
Unique white	500	152	4.8	1.5
Unique white	840	256	9.6	2.9
Unique white	1000	305	9.6	2.9
Unique white	700	213	12.0	3.7
Unique white	1100	335	12.0	3.7
Unique white	1400	427	14.0	4.3
Unique white	1200	366	14.4	4.4
Unique white	1700	518	18.0	5.5
Variable white	750	229	9.6	2.9
RGB			8.5	2.6
RGB			14.4	4.4
RGB			17.0	5.2

COLOR TEMPERATURE

Kelvin	Type
2200K	 RGB
2400K	
2700K	
3000K	 Variable white 2500K - 6000K
3500K	
4000K	
5000K	
5200K	
6000K	
6500K	


GRADATION

Type
Not dimmable
Dimmable Triac
Dimmable 0-10 Volt

DIFFUSER

Type	Light diffuse	Angle
Frost	85 %	120 °

SHAPE



LUMINAIRE COLOR





Sale sheet

31-08-2021 10:03:32

DISCLAIMER

Due to our continued efforts to improve our documents and products, the specifications found on this document are subject to change without notice.